

R301.2(1)

GROUND SNOW LOAD	WIND DESIGN				SEISMIC DESIGN CATEGORY <sup>f</sup>	SUBJECT TO DAMAGE FROM			WINTER DESIGN TEMP <sup>e</sup>	ICE BARRIER UNDERLAYMENT REQUIRED <sup>h</sup>	FLOOD HAZARDS <sup>g</sup>	AIR FREEZING INDEX <sup>i</sup>	MEAN ANNUAL TEMP <sup>j</sup>
	Speed <sup>d</sup> (mph)	Topographic effects <sup>k</sup>	Special wind region <sup>l</sup>	Wind-borne debris zone <sup>m</sup>		Weathering <sup>a</sup>	Frost line depth <sup>b</sup>	Termite <sup>c</sup>					
<a href="#">Utah Ground Snow Load Map</a>	115	NO	NO	No	D or D <sub>1</sub>	SEVERE	36"	SLIGHT	-7	YES	<a href="#">FEMA Flood Map</a>	2500	42°F

The Structural design, including engineered residential structures, shall be designed to the 2021 IBC  
See link below for the current adopted codes with amendments.

[https://le.utah.gov/xcode/Title15A/Chapter2/15A-2-S103.html?v=C15A-2-S103\\_2023050320230701](https://le.utah.gov/xcode/Title15A/Chapter2/15A-2-S103.html?v=C15A-2-S103_2023050320230701)